



HARTE GOLD CORP.
 8 King Street East, Suite 1700
 Toronto, Ontario, M5C 1B5
 Tel: 416-368-0999
 Fax: 416-368-5146

Harte Gold Announces Successful Sugar Zone Mine Plant Commissioning And Start Up Provides Exploration Update And Announces Official Mine Opening Ceremony

Toronto – October 3, 2018 - HARTE GOLD CORP. (“Harte Gold” or the “Company”) (TSX: HRT / OTC: HRTFF / Frankfurt: H4O) is pleased to announce grid power to site, the mill has been energized, the Company has started processing ore from its surface stockpile and ore sill development has resumed underground. Commissioning of the mill complex and surface infrastructure is going very well and will be substantially complete within the next week.

Stephen G. Roman, President and CEO of Harte Gold, commented, “This is a significant accomplishment and successful conclusion to an accelerated timeline that saw construction started 14 months ago and completed with no lost time accidents. The Company is very excited to announce to shareholders they can now look forward to the first gold pour within the next two weeks.”

Exploration Update

To-date, Harte Gold has completed 90,400 metres of drilling in its 2018 drill program. Key intersections are summarized below:

- Underground drilling has returned additional high grade intersections at the Upper Zone area of the Sugar Zone. Hole S095-18-005 returned **37.38 g/t over 1.97 metres**, which will improve modelled grade and provides a near-surface block of high grade mineralization for initial mine production.
- Sugar Zone Inferred to Indicated drilling continues to return high grade intersections that are expected to improve overall modelled grade. Hole SZ-18-254 returned **30.95 g/t over 1.32 metres**.
- Middle Zone Inferred to Indicated drilling continues to show positive widths and grades. Hole WZ-18-202W returned **35.59 g/t over 2.58 metres**.
- Wolf Zone drilling has expanded the mineralized envelope further down dip. Hole WZ-18-179W5 returned **5.12 g/t over 2.25 metres** and hole WZ-18-175 returned **5.64 g/t over 10.60 metres**, including **63.90 g/t over 0.70 metres**. The Company is targeting an Initial Inferred Resources estimate at the Wolf Zone for its next Mineral Resource Estimate update in Q1 2019.
- Drill permits have been received for the Eagle and Highway zones. The Company has mobilized a drill rig to further test both zones. Results will be provided as they become available.

Drill results are summarized in the following tables:

Sugar Zone Drilling

Hole #	Area	From	To	Grade (g/t)	Width (m)
S095-18-005	Upper Zone	39.88	41.85	37.38	1.97
SZ-18-253	Upper Zone	757.26	760.36	6.91	3.10
SZ-18-254	Below Indicated Outline	652.77	654.09	30.95	1.32

Middle Zone Drilling

Hole #	Area	From	To	Grade (g/t)	Width (m)
WZ-18-135	Middle Zone	485.68	489.48	5.14	3.80
WZ-18-144	Middle Zone - Upper Zone	182.13	183.59	6.42	1.46
WZ-18-144	Middle Zone	188.00	189.30	26.46	1.30
WZ-18-190	Middle Zone	212.90	214.35	18.61	1.45


WZ-18-201	Middle Zone	485.21	487.14	10.70	1.93
WZ-18-202W	Middle Zone	956.42	959.00	35.59	2.58

Wolf Zone Drilling

Hole #	Area	From	To	Grade (g/t)	Width (m)
WZ-18-150W	Wolf Zone	736.26	738.22	4.58	1.96
WZ-18-175	Wolf Zone	529.20	539.80	5.64	10.60
including	Wolf Zone	539.10	539.80	63.90	0.70
WZ-18-179W5	Wolf Zone	1,045.00	1,047.25	5.12	2.25

Core intersection lengths in the tables above approximate 80% true width, assay results are uncut, fire assay with metallic screen on samples >10 g/t

Longitudinal Projection



Official Mine Opening Ceremony

The Company is also pleased to announce the Official Mine Opening Ceremony is scheduled for October 24, 2018. All shareholders and friends of the Company are welcome to attend the ceremony.

For those planning to attend, please email Shawn Howarth, VP Corporate Development, at sh@hartegold.com, by October 12, 2018, to be added to a registered list. Further details and a schedule of events will be provided as they become available for those planning to attend.

About Harte Gold Corp.

Harte Gold is focused on production at its 100% owned Sugar Zone Mine where it has completed a 70,000 tonne Advanced Exploration Bulk Sample, mined 30,000 tonnes under a Phase I Commercial Production Permit, permitted and built an 800 TPD processing plant. Harte Gold received operational permits to start full commercial production in September 2018. The Sugar Zone Mine is located 80 kilometres east of the Hemlo Gold Camp in Ontario. Using a 3 g/t Au cut-off, the Mineral Resource Estimate dated February 15, 2018 contains an Indicated Mineral Resource Estimate of 2,607,000 tonnes grading 8.52 g/t for 714,200 ounces contained gold and an Inferred Mineral Resource Estimate of 3,590,000 tonnes, grading 6.59 g/t for 760,800 ounces contained gold.

QA/QC Statement

The Company has implemented a quality assurance and control (“QA/QC”) program to ensure sampling and analysis of mine and exploration work is conducted in accordance with industry standards. Drill core is sawn in half with one half of the core shipped to Actlabs Laboratories located in Thunder Bay, ON, while the other half is retained at the Company’s core facilities in White River, ON, for future verification. Certified reference standards and blanks are inserted into the sample stream on a regular interval basis and monitored as part of the QA/QC program. Gold analysis is performed by fire assay using atomic absorption, gravimetric or pulp metallic finish. The Mineral Resource Estimate was prepared in compliance with NI 43-101 guidelines. Robert Kusins, P. Geo., Harte Gold’s Senior Mineral Resource geologist, is the Company’s Qualified Person and has prepared, supervised the preparation, or approved the scientific and technical disclosure in this news release.

For further information, please contact:

Stephen G. Roman

President and CEO

Tel: 416-368-0999

Email: sgr@hartegold.com

Shawn Howarth

Vice President, Corporate Development

Tel: 416-368-0999

E-mail: sh@hartegold.com

The Toronto Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.